

## 10.920N | Carbon Fibre Black

### Total Wrap | Carbon Fibre

#### Features

This quality multi-layered cast film 10.920N | Carbon Fibre Black has a carbon fibre embossed pattern. It will conform around compound curves, rivets, corrugations and can be applied on to textured surfaces. Our film is ideal for automotive applications covering, wing mirrors, wheel arches, dashboards and bumpers. The vinyl can also be used for general graphics & striping for vehicle bonnets, roofs and boots. The 135 micron product has enough flexibility and conformability for full vehicle wraps and other long term outdoor applications.

#### Technical & Performance Information

Film Thickness	135 micron
Adhesive Thickness	25 micron
Total Thickness	160 micron
Adhesive Type	Permanant clear solvent based acrylic
Release Liner	130 gsm PE coated kraft liner
Artificial Weathering *	>5 years
Film Tensile Strength MD	-
Film Elongation MD	> 100%
Adhesion to steel (20 mins / 180°)	11N/25mm
Adhesion to steel (24 hrs / 180°)	16N/25mm
Dimensional Stability	< 0.2%
Application Temperature	+5 to +40°C
Service Temperature	-45 to +115°C
Release liner	Neutral

\* equivalent to vertical exposure in Mid-European climate

#### Warranty

iSee2 warrants our material for one (1) year from date of shipment. The shelf life of our material is dependent on storage conditions. We recommend that the end user stores the material in the original boxes (out of direct sunlight) from our factory. We also recommend to store our material at 21°C with 50% relative humidity. iSee2 only warrants our products to be free from defects in workmanship or defects in iSee2 material. We will replace or credit any material deemed defective. No acceptance or responsibility for loss, damage or expense implied or otherwise shall be assumed by the seller or manufacturer. User assumes all risk and liability in connection herewith. All data values quoted above are typical and should not be used to deem the product defective, if not measured values are different

Groendreef 35  
B-9880 Aalter | Belgium  
T +32 9 216 6700  
F +32 9 216 6709  
W [www.isee2.eu](http://www.isee2.eu)